

PCMark 10

6 325

Essentials	9 102
Apps Start-up score	12 051
Video Conferencing Score	7 095
Web Browsing Score	8 821
Productivity	8 611
Spreadsheets Score	10 566
Writing Score	7 018
Digital Content Creation	8 761
Photo Editing Score	11 801
Rendering and Visualization Score	11 198
Video Editing Score	5 089

Validation

ERROR

Run information

Result name

LAPTOP-SAQA2160_2024-05-25 03:28:24.0

Result details

SystemInfo Version	5.72.1234
UI Version	2.1.2662 s64
Test Version	1.0
Date	May 25 2024
Duration	24 m 27 s
Id	5c3ae621-1343-46d7-bd96-c647e58129ad

Test settings

Default settings used

Yes

Additional output

Video Conferencing	Video Encoder, Intel® Quick Sync Video H.264 Encoder MFT
Video Conferencing	OpenCL, NVIDIA GeForce RTX 4050 Laptop GPU
Spreadsheets	OpenCL, NVIDIA GeForce RTX 4050 Laptop GPU
Photo Editing	OpenCL, NVIDIA GeForce RTX 4050 Laptop GPU
Video Editing	OpenCL, NVIDIA GeForce RTX 4050 Laptop GPU

System details

General

Operating System	Windows 11 64-bit 10.0.22621
Motherboard	LENOVO LNVNB161216
Memory	8192 MB
BIOS	LENOVO NECN29WW
System Drive Model	
Resolution	1536 x 864 px
Power plan	Dengeli

Processor

CPU	12th Gen Intel(R) Core(TM) i5-12450HX
Clock Frequency	2400 MHz
Max Frequency	4390 MHz
Processors	1
Cores	8 (12)
Package	Socket 1700 LGA

Graphic adapters

GPU	Intel(R) UHD Graphics
Manufacturer	Intel
Dedicated Video Memory	
Total Available Graphics Memory	4096 MB
Core Clock	1297 MHz
Boost Clock	1297 MHz
Memory Clock	2200 MHz
Driver Version	31.0.101.4575

GPU	NVIDIA GeForce RTX 4050 Laptop GPU
Manufacturer	NVIDIA
Dedicated Video Memory	6141 MB GDDR6
Total Available Graphics Memory	4096 MB
Core Clock	2460 MHz
Boost Clock	2055 MHz
Memory Clock	2000 MHz
Driver Version	31.0.15.3770
Display 1	\\.\DISPLAY1 (1920 x 1080, 125% DPI scaling)

Storage devices

Drive 0	476 GB
Drive model	SOLIDIGM SSDPFINW512GZL
Drive type	SSD
External drive	No (SCSI)
Partition 0	260 MB
Partition 1	C: (NTFS) 474 GB (282 GB free)
Partition 2	1,9 GB

Batteries

Battery	L23M4PK4
Manufacturer	SMP
Type	Unknown
Cycle count	0
Designed capacity	60000 mWh
Full charged capacity	62740 mWh
Wear level	-4,6%