


Test Summary

Project Name	BG2U8EA
Benchmark Version	1.0.1.95
Completion Date	2025-12-25 14:03:09
Iterations	3
Scenarios Run	 Productivity  Creativity  Responsiveness
Conditioning Run	True

Performance Scores

 1955 Overall Score	 1869 Productivity	 2203 Creativity	 1564 Responsiveness
Iteration 1	1876	2219	1562
Iteration 2	1887	2238	1577
Iteration 3	1845	2154	1552



System Information Comparison Table

System Info	This System	Calibration System
BIOS	Insyde F.13 11-09-2025	LENOVO M1UKT4EA 12/1/2019
Device Type	NoteBook	Desktop
Identifier	GenuineIntel Intel64 Family 6 Model 198 Stepping 2	GenuineIntel Intel64 Family 6 Model 158 Stepping 10
Motherboard	HP 8D41	LENOVO 312D
CPU	Intel(R) Core(TM) Ultra 7 255HX, 2400 MHz, 20 Core(s), 20 Logical Processor(s)	Intel(R) Core(TM) i5-8500T CPU @ 2.10GHz, 2112 Mhz, 6 Core(s), 6 Logical Processor(s)
CPU Architecture	X64	X64
Memory	32.00 GB, 2 Channel(s), 5600 MHz	8.00 GB, 1 Channel(s), 2667 MHz
Power Source	AC	AC
Drive 0	953.87GB, SAMSUNG MZVLC1T0HFLU-00BH1, NVMe	238.47 GB, SAMSUNG MZ7LH256HAJD-000L7, Serial ATA (SATA)
GPU	NVIDIA GeForce RTX 5070 Ti Laptop GPU (version: 32.0.15.7703)	Intel(R) UHD Graphics 630 (version: 26.20.100.7372)
Screen Resolution	2560 X 1600	1920 X 1080
OS Type	Microsoft Windows 11 Home Single Language	Microsoft Windows 10 Pro
OS Version	10.0.26100.7462	10.0.18363.418
Virtualization	Disabled in firmware	Enabled in firmware
Secure Boot	Secure Boot State Off	Secure Boot State On
Tamper Protection	Disabled	Disabled
Windows Defender Antivirus	Enabled	Disabled
Windows Security Center	Enabled	Disabled
Power Policy	Balanced	CrossMark
Power Slider Overlay	Better Performance	Not Applicable

Config Version	Unknown	
Virtualization-based security	Enabled	
License Type	Enterprise Version (396)	

BAPCo® Mission

Business Applications Performance Corporation (BAPCo) is a non-profit consortium with a charter to develop and distribute a set of objective performance benchmarks for personal computers based on popular computer applications and industry standard operating systems.

About The Calibration System

The calibration system is a system chosen as a reference point for all other CrossMark results. BAPCo chose the configuration above for its wide availability and its representation of a typical mainstream PC at the time of release of CrossMark.

CrossMark has been calibrated in such a way that a PC with performance equivalent to this calibration system for a given workload will have a performance rating of 1000. A system twice as fast as the calibration system on a given workload (or, equivalently, that responds in half the time on average) will have a performance rating of 2000. This is true for both overall ratings and scenario ratings.